

Podatkovni list izdelka: LID13437--

Dewy IP65 za 2xT8 LED cev 100-240V 655mm IP65 PC/PC siva

svetilka za vlažne prostore



Informacija o izdelku

T8 LED Tubes IP65 Range Complies with standard EN60598-1 and any other specific standards.



Tehnični podatki

neto dolžina (mm)

655,00

Tehnični podatki - Nadaljevanje

neto širina (mm)	110,00
neto višina (mm)	655,00
neto premer (mm)	80,00
neto masa (kg)	1,04
vrsta svetilke	vodotesne svetilke
montaža	stenska nadgradna nadgradna stropna
barva	siva
material	PC
prekritje	PC opalno
delovna napetost AC (V)	100-240
vhodna napetost AC (V)	100-240
svetlobi vir/sijalka	LED Retrofit
okov	T8
moč (W)	28
število svetilk	2
zatemnilno	ne
zaščitni razred	I
stopnja mehanske zaščite	IP65
mehanska odpornost	IK08
vklij. s svetlobnim virom	ne
premer (mm)	80
DxŠxV mm	655x110x655
ØxV mm	80x655

Merska skica: Dewy IP65 za 2xT8 LED cev 100-240V 655mm IP65 PC/PC siva



Tabela izdelkov

Opis	Šifra
Dewy IP65 za 2xT8 LED cev 100-240V 655mm IP65 PC/PC siva svetilka za vlažne prostore	LID13437
dodatni pribor	
050180E konektor hitri priklop kablov 32A 2x3-port 26 ACCES&GADGETS	LID16949
9009L/V T8 steklena cev 9W CCT V 60cm ledeni videz 230V nastavljiva barvna temperatura, napajanje z obeh strani; 25 LAMPS	LID17357