

Podatkovni list izdelka: LID13877--

RFB LED 18W, 3000K, 1350lm, 100-240V, IP54, PC, bela **ECONOMY**

LED stenska, stropna svetilka



Informacija o izdelku

18W LED slim plafo, IP54, ideal for both indoor and outdoor installation. Supplied with non-dimmable LED driver. Complies with standard EN60598-1 and any other specific standards.



Tehnični podatki

svetlobni tok (lm) (lm)	1350
barva svetlobe	toplo bela
barvna temperatura (K)	3000
indeks barvnega videza Ra	≥80
zatemnilno	ne
zaščitni razred	II
stopnja mehanske zaščite	IP54
vrsta svetilke	LED Plafo stropna nizka svetilka
vklij. s svetlobnim virom	da
število svetilk	1

Tehnični podatki - Nadaljevanje

okov	LED Platine
kot osvetlitve (°)	120
sistemska učinkovitost (lm/W)	75
faktor moči	0,9
moč (W)	18
krmilna naprava	LED napajalnik
delovna napetost AC (V)	220-240
frekvenca (Hz)	50/60
montaža	nadgradna stropna
barva	bela
material	PC
višina (mm)	42
premer (mm)	300
dodatni pribor	LID16949--
ØxV mm	300x42

Merska skica: RFB LED 18W, 3000K, 1350lm, 100-240V, IP54, PC, bela




Tabela izdelkov

Opis	Šifra
RFB LED 18W, 3000K, 1350lm, 100-240V, IP54, PC, bela LED stenska, stropna svetilka	LID13877
dodatni pribor	
050180E konektor hitri priklop kablov 32A 2x3-port 26 ACCES&GADGETS	LID16949