


Podatkovni list izdelka: LID13891--

Aline-R LED 13W 3000K 925lm, IP54, bela **€CONOMY**

Bathroom Downlights; 06 DOWNLIGHT FIX LED



Informacija o izdelku

13W LED recessed downlight, IP54. Suitable for bathroom installations. Supplied with non-dimmable LED 300mA driver. Complies with standard EN60598-1 and any other specific standards.



Tehnični podatki

Tehnični podatki - Nadaljevanje

svetlobni tok (lm) (lm)	925
barva svetlobe	toplo bela
barvna temperatura (K)	3000
indeks barvnega videza Ra	≥80
življenjska doba	40.000h
zatemnilno	ne
zaščitni razred	II
stopnja mehanske zaščite	IP54
vrsta svetilke	stropna vgradna svetila
vkli. s svetlobnim virom	da
število svetilk	1
okov	LED Platine
kot osvetlitve (°)	90
sistemska učinkovitost (lm/W)	71
faktor moči	0,9
moč (W)	13
krmilna naprava	LED napajalnik
delovna napetost AC (V)	220-240
frekvenca (Hz)	50/60
montaža	podometna vgradna
izrez (mm)	Ø 95
vgradna globina (mm)	70
barva	bela
material	umetna masa tlačno liti aluminij
višina (mm)	48
premer (mm)	110
dodatni pribor	LID 16949--
ØxV mm	110x48
IZREZ (mm)	Ø 95

Merska skica: Aline-R LED 13W 3000K 925lm, IP54, bela



Tabela izdelkov

Opis	Šifra
Aline-R LED 13W 3000K 925lm, IP54, bela Bathroom Downlights; 06 DOWNLIGHT FIX LED	LID13891
dodatni pribor	
050180E konektor hitri priklop kablov 32A 2x3-port 26 ACCES&GADGETS	LID16949