

Podatkovni list izdelka: QLFGP1000-

# Mrežno stikalo 8xRJ45 10/ 100 (PoE) + 1xRJ45 + 1xSFP 1000

switch 8 x 10/100Base-TX RJ45 PoE (802.3af) porti, 1 x 10/100/1000Base-T RJ45 port,  
1 x 100/1000Base-X SFP slot, napajalnik



## SCHRACK-Info

QLFGP1000- is a 8-port 10/100Mbps Fast Ethernet Switch with Power over Ethernet (PoE) capability. With 8 dip switches, each PoE port can be manually set for On-Off control.

QLFGP1000- supports up to 30W on each LAN port when the DIP switch is in the ON position.

Using a PoE repeater, it is possible to extend the connection a further 100 meters, or even daisy-chain several PoE repeaters together for greater distances. Dual 10/100Mbps ports can connect with other edge switches or NVR as uplink ports.

### Key-Features

- 8 Fast Ethernet PoE ports, 1 Gigabit port and 1 Gigabit SFP slot
- PoE on/off control per port by dip switches
- IEEE 802.3x Flow Control protects against lost packets for reliable data transmission
- Simple Plug and Play installation

### TECHNICAL DATA

- Approval and compliance
  - FCC, CE, RoHS
- Max. operating humidity
  - 90%

- Max. operating temperature
  - 45C°
- Max. storage humidity
  - 90%
- Max. storage temperature
  - 70C°
- Min. operating humidity
  - 10%
- Min. operating temperature
  - -40°
- Backplane
  - 10/100/1000Mbps
- Indicators
  - Power, Active, 10/100/1000M, PoE
- MAC address table
  - 4K
- Flash memory size
  - 512
- Mount
  - Desk mount
- Standards
  - IEEE 802.3 10-BASE-T, Ethernet
  - IEEE 802.3u 100-BASE-TX, Fast Ethernet
  - IEEE 802.3ab 1000BASE-T, Gigabit Ethernet
  - IEEE 802.3x Full-duplex Flow Control
  - IEEE 802.3 10-BASE-T, Ethernet
  - IEEE 802.3u 100-BASE-TX, Fast Ethernet
  - IEEE 802.3ab 1000BASE-T, Gigabit Ethernet
  - IEEE 802.3x Full-duplex Flow Control
  - IEEE 802.3 10-BASE-T, Ethernet
  - IEEE 802.3u 100-BASE-TX, Fast Ethernet
  - IEEE 802.3ab 1000BASE-T, Gigabit Ethernet
  - IEEE 802.3x Full-duplex Flow Control
  - IEEE 802.3 10-BASE-T, Ethernet
  - IEEE 802.3u 100-BASE-TX, Fast Ethernet
  - IEEE 802.3ab 1000BASE-T, Gigabit Ethernet
  - IEEE 802.3x Full-duplex Flow Control
  - IEEE 802.3 10-BASE-T, Ethernet
  - IEEE 802.3u 100-BASE-TX, Fast Ethernet

- IEEE 802.3ab 1000BASE-T, Gigabit Ethernet
- IEEE 802.3x Full-duplex Flow Control
- IEEE 802.3 10-BASE-T, Ethernet
- IEEE 802.3u 100-BASE-TX, Fast Ethernet
- IEEE 802.3ab 1000BASE-T, Gigabit Ethernet
- IEEE 802.3x Full-duplex Flow Control
- IEEE 802.3 10-BASE-T, Ethernet
- IEEE 802.3u 100-BASE-TX, Fast Ethernet
- IEEE 802.3ab 1000BASE-T, Gigabit Ethernet
- IEEE 802.3x Full-duplex Flow Control
- IEEE 802.3 10-BASE-T, Ethernet
- IEEE 802.3u 100-BASE-TX, Fast Ethernet
- IEEE 802.3ab 1000BASE-T, Gigabit Ethernet
- IEEE 802.3x Full-duplex Flow Control
- Product weight
  - 1,5 kg
- Product breadth
  - 188 mm
- Product depth
  - 118
- Product height
  - 38 mm
- Color
  - Grey
- EAN
  - 4015867187982
- Model number
  - QLFGP1000-
- Fast Ethernet multi-mode ST
  - 1
- Gigabit RJ45/SFP combo
  - 1
- 802.3af/at PoE
  - 8
- Switching capacity
  - 5.6 Gbps
- Grade
  - Commercial

- Data Rate
  - Fast and Gigabit Ethernet
- PoE Supported
  - Yes
- Manageable
  - No
- Fanless
  - Yes
- Concurrent ports
  - Total 10.00
- PoE Power Budget
  - Total 120.00

#### Package contents

- QLFGP1000-
- Power Adapter
- User Manual

## Tehnični podatki

|                                   |                                   |
|-----------------------------------|-----------------------------------|
| Neto širina (mm)                  | 188,00                            |
| Neto višina (mm)                  | 38,00                             |
| Neto globina (mm)                 | 118,00                            |
| EAN-koda                          | 4015867187982                     |
| Najnižja temperatura okolice (°C) | 0                                 |
| Najvišja temperatura okolice (°C) | 70                                |
| Izdelek                           | ethernet stikalo                  |
| Hitrost                           | 10/100 Mbps + 10/100/1000 Uplinks |
| Število vhodov                    | 9                                 |
| montaža:                          | namizna                           |

## Tabela izdelkov

| Opis                                                                                                                                                                                       | Šifra      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|
| Mrežno stikalo 8xRJ45 10/100 (PoE) + 1xRJ45 + 1xSFP 1000<br>switch 8 x 10/100Base-TX RJ45 PoE (802.3af) porti, 1 x 10/100/1000Base-T RJ45 port, 1 x 100/1000Base-X SFP slot,<br>napajalnik | QLFGP1000  |
| <b>Dodatna oprema</b>                                                                                                                                                                      |            |
| Kabel, spajalni, RJ45, oklopljen, Cat.6, FTP, siv, 0,5m<br>priključni, povezovalni                                                                                                         | H6GLG00K5G |
| Kabel, spajalni, RJ45, oklopljen, Cat.6, FTP, siv, 1,0m<br>priključni, povezovalni                                                                                                         | H6GLG01K0G |
| Kabel, spajalni, RJ45, oklopljen, Cat.6, FTP, siv, 2,0m<br>priključni, povezovalni                                                                                                         | H6GLG02K0G |
| Kabel, spajalni, RJ45, oklopljen, Cat.6, FTP, siv, 3,0m<br>priključni, povezovalni                                                                                                         | H6GLG03K0G |
| Kabel, spajalni, RJ45, oklopljen, Cat.6, FTP, siv, 5,0m<br>priključni, povezovalni                                                                                                         | H6GLG05K0G |
| Kabel, spajalni, RJ45, oklopljen, Cat.6, FTP, siv, 10,0m<br>priključni, povezovalni                                                                                                        | H6GLG10K0G |
| Kabel, spajalni, RJ45, oklopljen, Cat.6, FTP, siv, 20,0m<br>priključni, povezovalni                                                                                                        | H6GLG20K0G |